IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Monty Krieger, Susan L. Acton, and Alan M. Pearson

Serial No.: 08/765,108 Art Unit: 1646

Filed: March 27, 1997 Examiner: John Ulm

For: CLASS B1 AND C1 SCAVENGER RECEPTORS

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

TRANSMITTAL OF COPIES OF PUBLICATIONS

Sir:

An Information Disclosure Statement, including thirteen (13) pages of Form PTO-1449 was filed on March 29, 2002. In the Office Action dated August 6, 2003, the Examiner requested copies of many references cited in this Information Disclosure Statement. Applicants respectfully resubmit copies of the Information Disclosure Statement filed on March 29, 2002, thirteen (13) pages of Form PTO-1449 as filed on March 29, 2002, and one-hundred fifteen (115) documents indicated on the Information Disclosure Statement by an asterisk (*).

08/765,108

Filed:

March 27, 1997

TRANSMITTAL OF PUBLICATIONS

It is believed that no fee is required with this submission. However, should a fee be required, the Commissioner is hereby authorized to charge any fees to Deposit Account No. 50-1868.

Respectfully submitted,

Patrea L. Pabst Reg. No. 31,284

Date: December 10, 2003 HOLLAND & KNIGHT, LLP 2000 One Atlantic Center 1201 West Peachtree Street Atlanta, Georgia 30309-3400 404-817-8473 404-817-8588 (Fax)

CERTIFICATE OF DELIVERY

I certify that the above-identified documents are being Hand Delivered to Examiner M. Brannon at the U.S. Patent and Trademark Office.

December 10, 2003

Jean Hicks

1425752_v1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Monty Krieger, Susan L. Acton, and Alan M. Pearson

Serial No.: 08/765,108 Art Unit: 1646

Filed: March 27, 1997 Examiner: John D. Ulm

For: CLASS B1 AND C1 SCAVENGER RECEPTORS

Assistant Commissioner for Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Sir:

Pursuant to 37 C.F.R. §1.56 and 37 C.F.R. §1.97, further to the Information Disclosure Statement mailed April 27, 1998, and the Office Action mailed March 5, 2002, enclosed are thirteen (13) pages of Form PTO-1449 and copies of the documents cited therein. These documents were all listed in the Information Disclosure Statement mailed April 27, 1998. Due to confusion regarding consideration of the Information Disclosure Statement, applicants respectfully resubmit these documents for the Examiner's consideration. Most of the documents cited below were cited by or submitted to the Patent Office in Application Serial No. 08/265,428, filed June 23, 1994, to which the present application claims priority.

Enclosed is a check for \$180.00 representing the fee required under 37 C.F.R. § 1.17(p) for an Information Disclosure Statement filed after a first Office Action on the merits under 37 C.F.R. §1.97(c). It is believed that no additional fees are required with this submission.

08/765,108

Filed:

March 27, 1997

INFORMATION DISCLOSURE STATEMENT

However, should a fee be required, the Commissioner is hereby authorized to charge any fees to the Deposit Account No. 50-1868.

U.S. Patents

<u>Number</u>	Issue Date	<u>Patentee</u>
*3,625,214	Higuchi	12-07-1971
*4,244,946	Rivier, et al.	01-13-1981
*4,305,872	Johnston, et al.	12-15-1981
*4,316,891	Guillemin, et al.	02-23-1982
*4,629,784	Stammer	12-16-1986
4,789,734	Pierschbacher	12-06-1988
*4,792,525	Ruoslahti, et al.	12-20-1988
*4,868,116	Morgan, et al.	09-19-1989
*4,906,474	Langer, et al.	03-06-1990
*4,925,673	Steiner, et al.	05-15-1990
*4,980,286	Morgan, et al.	12-25-1990

Foreign Documents

<u>Number</u>	Publication Date	<u>Patentee</u>	Country
WO 90/05748	05-31-1990	Mass. Inst. Tech.	PCT
WO 93/01286	01-21-1993	Mass. Inst. Tech.	PCT
05 192179	08-03-1993	Chugai Pharm. Co.	JP
03 290184	12-19-1991	Chugai Pharm. Co	JP

Publications

- *ABRAMS, et al., "Macrophages in *Drosophila* embryos and L2 cells exhibit scavenger receptor-mediated endocytosis," *Proc. Natl. Acad. USA* 89:10375-10379 (1993).
- *ABUMRAD, et al., "Cloning of a Rat Adipocyte Membrane Protein Implicated in Binding or Transport of Long-chain Fatty Acids That is Induced during Preadipocyte Differentiation," *J. Biol. Chem.* 268:17665-17668 (1993).
- *ACTON, et al., "The Collagenous Domains of Macrophage Scavenger Receptors and Complement Component C1g Mediate Their Similar, But Not Identical, Binding Specificities for Polyanionic Ligands," *J. Biol. Chem.* 268:3530-3537 (1993).
- *ACTON, et al., "Expression Cloning of SR-BI, a CD36-related Class B Scavenger Receptor," *J. Biol. Chem.* 269(33):21003-21009 (1994).

08/765,108

Filed:

March 27, 1997

- *AGRAWAL, et al., "Oligodeoxynucleoside phosphoramidates and phosphorothioates as inhibitors of human immunodeficiency virus," *Proc. Natl. Acad. Sci. USA* 85:7079-7083 (1988).
- *ARAI, et al., "Multiple Receptors for Modified Low Density Lipoproteins in Mouse Peritoneal Macrophages: Different Uptake Mechanisms for Acetylated and Oxidized Low Density Lipoproteins," *Biochem. Biophys. Res. Commun.* 159:1375-1382 (1989).
- *ARUFFO, et al., "Molecular cloning of a CD28 cDNA by a high-efficiency COS cell expression system," *Immunology* 84:8573-8577 (1987).
- *ASCH, et al., "Isolation of the Thrombospondim Membrane Receptor," *J. Clin. Invest.* 79:1054-1061 (1987).
- *ASHKENAS, et al., "Structures and high and low affinity ligand binding properties of murine type I and type II macrophage scavenger receptors," *J. Lipid Res.* 34:983-1000 (1993).
- *ASKEW, et al., "Molecular Recognition with Convergent Functional Groups, Synthetic and Structural Studies with a Model Receptor for Nucleic Acid Components," *J. Am. Chem. Soc.* 111:1082-1090 (1989).
- *BALDINI, et al., "Cloning of a Rab3 isotype predominately expressed in adipocytes," *Proc. Natl. Acad. Sci. USA* 89:5049-5052 (1992).
- *BASU, et al., "Independent Pathways for Secretion of Cholesterol and Apolipoprotein E by Macrophages," *Science* 219:871-873 (1983).
- *BICKEL, et al., "Rabbit Aortic Smooth Muscle Cells Express Inducible Macrophage Scavenger Receptor Messenger RNA That is Absent from Endothelial Cells," *J. Clin. Invest.* 90:1450-1457 (1992).
- *BLUME, et al., "Triple helix by purine-rich oligonucleotides targeted to the human dihydrofolate reductase promoter," *Nucl. Acids Res.* 20:1777-1784 (1992).
- *BROWN, et al., "Lipoprotein Metabolism in the Macrophage: Implications for Cholesterol Deposition in Atherosclerosis," *Annu. Rev. Biochem.* 52:223-261 (1983).
- *CALVO, et al., "Identification, Primary Structure, and Distribution of CLA-1, a Novel Member of the CD36/LIMPHII Gene Family," *J. Biol. Chem.* 268 (25):18929-18935 (1993).
- *CHARRON, et al., "A glucose transport protein expressed predominately in insulinresponsive tissues," *Proc. Natl. Acad. Sci. USA* 86:2535-2539 (1989).

08/765,108

Filed:

March 27, 1997

- *CHEN, et al., "NPXY, a Sequence Often Found in Chyoplasmic Tails, is Required for Coated Pit-mediated Internalization of the Low Density Lipoprotein Receptor," *J. Biol. Chem.* 265:3116-3123 (1990).
- *CLACKSON, T., et al., "Making antibody fragments using phage display libraries," *Nature* 352:624-688 (1991).
- *COONEY, et al., "Site-Specific Oligonucleotide Binding Represses Transcription of the Human *c-myc* Gene In Vitro," *Science* 241, 456-459 (1988).
- *CROOKE, "Progress toward oligonucleotide therapeutics: pharmacodynamic properties," *FASEB J.* 7:533-539 (1993).
- *CULLEN, "Use of Eukaryotic Expression Technology in the Functional Analysis of Cloned Genes," *Methods in Enz.* 152:684-704 (1987).
- *DAUGHERTY, et al., "Polymerase chain reaction facilitates the cloning, CDR-grafting and rapid expression of a murine monoclonal antibody directed against the CD18 component of leukocyte integrins," *Nucl. Acids Res.* 19:2471-2476 (1991).
- DE RIJKE, et al., "Binding characteristics of scavenger receptors on liver endothelial and Kupffer cells for modified low-density lipoproteins," *Biochem. J.* 304:69-73 (1994).
- *DOI, et al., "Charged collagen structure mediates the recognition of negativity charged macromolecules by macrophage scavenger receptors," *J. Biol. Chem.* 268:2126-2133 (1993).
- *DUVAL-VALENTIN, et al., "Specific inhibition of transcription by triple helix-forming oligonucleotides," *Proc. Natl. Acad. Sci. USA* 89:504-508 (1992).
- *ELLINGTON, et al., "Selection *in vitro* of single-stranded DNA molecules that fold into specific ligand-binding structures," *Nature* 355:850-852 (1992).
- *ENDEMANN, et al., "CD36 is a Receptor for Oxidized Low Density Lipoprotein," *J. Biol. Chem.* 268:11811-11816 (1993).
- *FAUST, et al., "Expression of Specific High Capacity Meyalonate Transport in a Chinese Hamster Ovary Cell Variant," *J. Biol. Chem.* 262:1996-2004 (1987).
- *FRASER, et al., "Divalent cation-independent macrophage adhesion inhibited by monoclonal antibody to murine scavenger receptor," *Nature* 364:343-346 (1993).
- *FREEMAN, et al., "Expression of type I and type II bovine scavenger receptors in Chinese hamster ovary cells: Lipid droplet accumulation and nonreciprocal cross competition by

08/765,108

Filed:

March 27, 1997

INFORMATION DISCLOSURE STATEMENT

acetylated and oxidized low density lipoprotein," *Proc. Natl. Acad. Sci. USA* 88:4931-4935 (1991).

- FUKASAWA, et al., "Chinese Hamster Ovary Cells Expressing a Novel Type of Acetylated Low Density Lipoprotein Receptor," *J. of Biol. Chem.* 270(4):1921-1927 (1995).
- *GOLDSTEIN, et al., "Receptor-Mediated Endocytosis of Low-Density Lipoprotein in Cultured Cells," *Methods Enzymol.* 98:241-260 (1993).
- *GOLDSTEIN, et al., "Binding site on macrophages that mediates uptake and degradation of acetylated low density lipoprotein, producing massive cholesterol deposition," *Proc. Natl. Acad. Sci. USA* 76:333-337 (1979).
- *GREENWALT, et al., "Membrane Glycoprotein CD36: A Review of Its Roles in Adherence, Signal Transduction, and Transfusion Medicine," *Blood* 80:1105-1115 (1992).
- *GREGORIADIS, G., Chapter 14. "Liposomes", <u>Drug Carriers in Biology and Medicine</u> pp. 287-341 (Academic Press, 1979).
- *GRIGORIEV, et al., "A Triple Helix-forming Oligonucleotide-Intercalator Conjugate Acts as a Transcriptional Repressor via inhibition of NF $_{\rm K}B$ Binding of Interleukin-2 Receptor α -Regulatory Sequence," *J. Biol. Chem.* 267:3389-3395 (1992).
- *HABERLAND, et al., "Two Distinct Receptors Account for Recognition of Maleyl-Albumin in Human Monocytes during Differentiation In Vitro," *J. Clin. Inves.* 77:681-689 (1986).
- *HABERLAND, et al., "Role of the Maleyl-Albumin Receptor in Activation of Murine Peritoneal Macrophages In Vitro," *J. Immunol.* 142:855-862 (1989).
- *HART, et al., "A *Drosophila* Gene Encoding an Epithelial Membrane Protein with Homology to CD36/LIMP II," *J. Mol. Biol.* 234:249-253 (1993).
- *HERZ, et al., "Surface location and high affinity for calcium of a 500-kd liver membrane protein closely related to the LDL-receptor suggest a physiological role as lipoprotein receptor," *EMBO J.* 7:4119-4127 (1988).
- *HOLT, et al., "An Oligomer Complementary to *c-myc* mRNA Inhibits Proliferation of HL-60 Promyelocytic Cells and Induces Differentiation," *Mol. Cell. Biol.* 8:963-973 (1988).
- *HORIUCHI, et al., "Scavenger Function of Sinusoidal Liver Cells: Acetylated Lowdensity Lipoprotein is Endocytosed via a Route Distinct from Formaldehyde-treated Serum Albumin," *J. Biol. Chem.* 259:53-56 (1985).

08/765,108

Filed:

March 27, 1997

- *HUANG, et al., "Membrane glycoprotein IV (CD36) is physically associated with the Fyn, Lyn, and Yes protein-tyrosine kinases in human platelets," *Proc Natl. Acad. Sci. USA* 88(17):7844-7848 (1991).
- *HUNT, et al., "Chacterization and sequence of a mouse hsp70 gene and its expression in mouse cell lines," *Gene* 87:199-204 (1990).
- *ITAKURA, et al., "Synthesis and use of synthetic oligonucleotides," *Ann. Rev. Biochem.* 53:323-356 (1984).
- *INABA, et al., "Macrophage Colony-stimulating Factor Regulates Both Activities of Neural and Acidic Cholesteryl Ester Hydrolases in Human Monocyte-derived Macrophages," *J. Clin. Invest.* 92(2):750-757 (1993).
- *KABAT, et al., Sequences of Proteins of Immunological Interest, 4th Ed. (U.S. Dept. Health and Human Services, Bethesda, MD, 1987).
- *KINGSLEY, et al., "Receptor-mediated endocytosis of low density lipoprotein: Somatic cell mutants define multiple genes required for express of surface-receptor activity," *Proc. Natl. Acad. Sci. USA* 81:5454-5458 (1984).
- *KINGSLEY, et al., "DNA-Mediated Transfer of a Human Gene Required for Low-Density Lipoprotein Receptor Expression and for Multiple Golgi Processing Pathways," *Mol. Cell. Biol.* 6:2734-2737 (1986).
- KOBZIK, "Lung Macrophage Uptake of Unopsonized Environmental Particles," *J. of Immunol.* 155(1):367-376 (1995).
- *KODAMA, et al., "Type I macrophage scavenger receptor contains α -helical and collagen-like coiled coils," *Nature* 343:531-535 (1990).
- KRIEGER, "Molecular Flypaper and atherosclerosis: structure of the macrophage scavenger receptor," *Trends Biochem. Sci.* 17:141-146 (1992).
- *KRIEGER, et al., <u>Cold Spring Harbor Symposia on Quantitative Biology</u> Vol. LVII, 605-609 (1992).
- KRIEGER, "Molecular Flypaper, Host Defense, and Atherosclerosis," *J. Biol. Chem.* 268(7):4569-4572 (1993).

08/765,108

Filed:

March 27, 1997

- *KRIEGER, et al., "Structures and Functions of Multiligand Lipoprotein Receptors: Macrophage Scavenger Receptors and LDL Receptor-Related Protein (LRP)," *J. Annu. Rev. Biochem.* 63:601-637 (1994).
- *KRIEGER, et al., "Reconstituted Low Density Lipoprotein," J. Supra. Struct. 10:467-478 (1979).
- *KRIEGER, et al., "Isolation of Chinese Hamster Cell Mutants Defective in the Receptor-mediated Endocytosis of Low Density Lipoprotein," J. Mol. Biol. 150:167-184 (1981).
- *KRIEGER, et al., "Amphotericin B selection of mutant Chinese hamster cells with defects in the receptor-mediated endocytosis of low density lipoprotein and cholesterol biosynthesis," *Proc. Natl. Acad. Sci. USA* 80:5607-5611 (1983).
- *KRIEGER, "Contemplation of Mutations in the LDL Pathway of Receptor-Mediated Endocytosis by Cocultivation of LDL Receptor-Defective Hamster Cell Mutants," *Cell* 33:413-422 (1983).
- *KRIEGER, "Reconstitution of the Hydrophobic Core of Low-Density Lipoprotein," *Meth. Enzymol.* 128:608-613 (1986).
- *LEWIS, et al., "Automated site-directed drug design: the concept of spacer skeletons for primary structure generation," *Proc. R. Soc. Lond.* 236, 125-140 and 141-162 (1989).
- *LOWRY, et al. "Protein Measurement with the Folin Phenol Reagent," *J. Biol. Chem.* 193:265-275 (1951).
- LUOMA, et al., "Expression of α_2 -Macroglobuli Receptor/Low Density Lipoprotein Receptor-related Protein and Scavenger Receptor in Human Atherosclerotic Lesions," *J. Clin. Inv.* 93(5):2014-2021 (1994).
- *MAHER, et al., "Inhibition of DNA Binding Proteins by Oligonucleotide-Directed Triple Helix Formation," *Science* 245:725-730 (1989).
- *MATSUMOTO, et al., "Human macrophage scavenger receptors: Primary structure expression, and localization in atherosclerotic lesions," *Proc. Natl. Acad. Sci. USA* 87:9133-9137 (1990).
- *MCKINALY, et al., "Rational design of antiviral agents," *Annu. Rev. Pharmacol. Toxiciol.* 29:111-122 (1989).
- *MERRIFIELD, "Solid Phase Peptide Synthesis I. The Synthesis of a Tetrapeptide," J. Am. Chem. Soc. 85:2149-2154 (1964).

08/765,108

Filed:

March 27, 1997

- *MOESTRUP, et al., Distribution of the α_2 -macroglobulin receptor/low density lipoprotein receptor-related protein in human tissues," *Cell Tissue Res.* 269:375-382 (1992).
 - *MULLIGAN, "The Basic Science of Gene Therapy," Science 260:926-932 (1993).
- *NAGELKERKE, et al., "In Vivo and in Vitro Uptake and Degradation of Acetylated Low Density Lipoprotein by Rat Liver Endothelial, Kupffer, and Parenchymal Cells," *J. Biol. Chem.* 258:12221-12227 (1983).
- *NAITO, et al., "Tissue Distribution Intracellular Localization, and In Vitro Expression of Bovine Macrophage Scavenger Receptors," *Am. J. Pathol.* 139:1411-1423 (1991).
- *NARANG, et al., in "Chemical Synthesis of Deoxyoligonucleotides by the Modified Triester Method," *Methods Enzymol.* 65:610-620 (1980).
- *OCKENHOUSE, et al., Activation of Monocytes and Platelets by Monoclonal Antibodies or Malaria-infected Erythocytes Binding to the CD36 Surface Receptor in vitro," *J. Clin. Invest.* 84:468-475 (1989).
- *OFFENSPERGER, et. al., "In vivo inhibition of duck hepatitis B virus replication and gene expression by phosphorothioate modified antisense oligodeoxynucleotides," *EMBO J.* 12:1257-1262 (1993).
- *OQUENDO, et al., "CD36 Directly Mediates Cytoadherence of Plasmodium falciparium Parasitized Erythocites," Cell 58:95-101 (1989).
- *ORSON, et al., "Oligonucleotide inhibition of IL2R\alpha mRNA transcription by promoter region collinear triplex formation in lymphocytes," *Nucl. Acids Res.* 19:3435-3441 (1991).
- *OTTNAD, et al., "Differentiation of binding sites on reconstituted hepatic scavenger receptors using oxidized low-density lipoprotein," *Biochem J.* 281:745-751 (1992).
- *PEARSON, et al., "Expression cloning of dSR-CI, a class C macrophage-specific scavenger receptor from *Drosphila melanogaster*," *Proc. Natl. Acad. Sci. USA* 92:4056-4060 (1995).
- *PENMAN, et al., The Type I and Type II Bovine Scavenger Receptors Expressed in Chinese Hamster Ovary Cells are Trimeric Proteins with Collagenous Triple Helical Domains Comprising Noncovalently Associated Monomers and Cys⁸³-Disulfide-linked Dimers," *J. Biol. Chem.* 266:23985-23993 (1991).

08/765,108

Filed:

March 27, 1997

- *PERRY, et al., "The Use of 3D Modeling Databases for Identifying Structure Activity Relationships," <u>QSAR</u>: <u>Quantitative Structure-Activity Relationships in Drug Design</u> pp. 189-193 (Alan R. Liss, Inc. 1989).
- *PITAS, et al., "Uptake of Chemically Modified Low Density Lipoproteins In Vivo Is Mediated by Specific Endothelial Cells," *J. Cell. Biol.* 100:103-117 (1985).
- *POSTEL, et al., "Evidence that a triplex-forming oligodeoxyribonucleotide binds to the c-myc promoter in HeLa cells, thereby reducing *c-myc* mRNA levels," *Proc. Natl. Acad. Sci. USA* 88: 8227-8231 (1991).
- *PREDESCU, et al., "Binding and Transcytosis of Glycoalbumin by the Microvascular Endothelium of the Nature Myocardium: Evidence that Glycoalbumin Behaves as a Bifunctional Ligand," *J. Cell Biol.* 107:1729-1738 (1988).
- *RIGOTTI, et al., "The Class B Scavenger Receptors SR-BI and CD36 are Receptors for Anionic Phospholipids," *J. Biol. Chem.* 270:1-4 (1995).
- RIGOTTI, et al., "The Class B Scavenger Receptors SR-BI and CD36 Are Receptors for Anionic Phospholipids," *J. Biol. Chem.* 270(27):16221-16224 (1995).
 - *RIPKA, "Computers picture the perfect drug," New Scientist 54-57 (June 16, 1988).
- *ROHRER, et al., "Coiled-coil fibrous domains mediate ligand binding by macrophage scavenger receptor type II," *Nature* 343:570-572 (1990).
- *ROUVINEN, et al., "Computer-aided Drug Design," *Acta Pharmaceutica Fennica* 97:159-166 (1988).
- SAMBROOK, Fritsch, and Maniatis. <u>Molecular Cloning: A Laboratory Manual</u>, Second Edition, Cold Spring Harbor, NY, Cold Spring Harbor Laboratory Press (1989) (Table of Contents only).
- *SARIN et al., "Inhibition of acquired immunodeficiency syndrome virus by oligodeoxynucleoside methylphosphonates," *Proc. Natl. Acad. Sci. USA* 85:7448-7451 (1989).
- *SAVILL, et al., "Macrophage Vitronectin Receptor CD36 and Thrombospondin Cooperate in Recognition of Neutrophlis Undergoing Programmed Cell Death," *Chest* 99:6S-7S (suppl) (1991).
- *SCHAUB, et al., "Recombinant Human Macrophage Colony-Stimulating Factor Reduces Plasma Cholesterol and Carrageenee Granuloma Foam Cell Formation in Watanabe Heritable Hyperlipidemic Rabbits," *Arterioscler. Thromb.* 14(1):70-76 (1994).

08/765,108

Filed:

March 27, 1997

- *SCHNITZER, et al., "Preferential Interaction of Albumin-binding Proteins, gp30 and gp18, with Conformationally Modified Albumins," *J. Biol. Chem.* 267:24544-24553 (1992).
- *SCRIVER, et al., Eds., in <u>The Metabolic and Molecular Bases of Inherited Disease</u>, Vol. 11, 7th Ed., pp. 2033; 2060-2061, New York, McGraw Hill.
- *SEGE, et al., "Characterization of a Family of Gamma-Ray-Induced CHO Mutants Demonstrates that the IdIA Locus is Diploid and Encodes the Low-Density Lipoprotein Receptor," *Mol. Cell. Biol.* 6:3268-3277 (1986).
- *SEGE, et al., "Expression and regulation of human low-density lipoprotein receptors in Chinese hamster ovary cells," *Nature* 307:742-745 (1984).
- *SHAW, et al., "Modified deoxyoligonucleotides stable to exonuclease degradation in serum," *Nucleic Acids Res.* 19:747-750 (1991).
- *SPARROW, et al., "A Macrophage Receptor That Recognizes Oxidized Low Density Lipoprotein but Not Acetylated Low Density Lipoprotein," *J. Biol. Chem.* 264:2599-2604 (1989).
- *STANTON, et al., "A Macrophage Fe Receptor for IgG Is Also a Receptor for Oxidized Low Density Lipoprotein," *J. Biol. Chem.* 267:22446-22451 (1992).
- *STEINBERG, et al., "BEYOND CHOLESTEROL: Modifications of Low-Density Lipoprotein That Increase Its Atherogenicity," *N. Engl. J. Med.* 320:915-924 (1989).
 - *STENT, G.S., et al., Molecular Genetics, pp. 213-219 (1971).
- SWIDA, et al., "Glue protein genes in *Drosophila virilis*: their organization, developmental control of transcription and specific mRNA degradation," *Development* 108(2):269-280 (1990).
 - *SZOSTAK, "In Vitro Genetics," TIBS 19:89-93 (1992).
- *TANDON, et al., "Identification of Glycoprotein IV (CD36) as a Primary Receptor for Platelet-Collagen Adhesion," J. Biol. Chem. 264:7576-7583 (1989).
- *VANDEPOL, et al., "Clinical Applications of Recombinant Macrophage-Colony Stimulating Factor (rhM-CSF)," *Biotech Therap.* 2:231-239 (1991).
- *VEGA, et al., "Cloning Sequences and Expression of a cDNA Encoding Rat LIMP II, a Novel 74-kDa Lysosomal Membrane Protein Related to the Surface Adhesion Protein CD36," *J. Biol. Chem.* 266:16818-16824 (1991).

08/765,108

Filed:

March 27, 1997

- *VIA, et al., "Identification and density dependent regulation of the AC-LDL Receptor in normal and transformed bovine aortic endothelial cells (BAEC)," *The FASEB J.* 6:A371, #2135 (1992).
- *VILLASCHI, et al., "Binding and Uptake of Native and Glycosylated Albumin-Gold Complexes in Perfused Rat Lungs," *Microvasc. Res.* 32:190-199 (1986).
- *WICKSTROM, et al., "Human promyelocytic leukemia HL-60 cell proliferation and *c-myc* protein expression are inhibited by an antisense pentadecadeoxynucleotide targeted against *c-myc* mRNA," *Proc. Natl. Acad. Sci. USA* 85:1028-1032 (1988).
- *YOUNG, et al., "Triple helix formation inhibits transcription elongation in vitro," *Proc. Natl. Acad. Sci. USA* 88:10023-10026 (1991).
- *ZAMECNIK, et al., "Inhibition of replication and expression of human T-cell lymphotropic virus type III in cultured cells by exogenous systhenic oligonucleotides complementary to viral RNA," *Proc. Natl. Acad. Sci.* 83:4143-4146 (1986).
- *ZAMECNIK, et al., "Inhibition of Rous sarcoma virus replication and cell transformation by a specific oligodeoxynucleotide," *Proc. Natl. Acad. Sci. USA* 75:280-284 (1978).
- *ZHU, et al., "Systemic Gene Expression After Intravenous DNA Delivery into Adult Mice," *Science* 261:209-211 (1993).

08/765,108

Filed:

March 27, 1997

INFORMATION DISCLOSURE STATEMENT

Remarks

This statement should not be interpreted as a representation that an exhaustive search has been conducted or that no better art exists. Moreover, Applicants invite the Examiner to make an independent evaluation of the cited art to determine its relevance to the subject matter of the present application. Applicants are of the opinion that their claims patentably distinguish over the art referred to herein, either alone or in combination.

Respectfully submitted,

Patrea L. Pabst

Reg. No. 31,284

Dated: March 29, 2002

HOLLAND & KNIGHT LLP One Atlantic Center 1201 West Peachtree Street, N.E. Suite 2000 Atlanta, Georgia 30309-3400 404-817-8473 FAX 404-817-8588 www.hklaw.com

08/765,108

Filed:

March 27, 1997

INFORMATION DISCLOSURE STATEMENT

Certificate of Mailing under 37 C.F.R. § 1.8(a)

I hereby certify that this Information Disclosure Statement, along with any paper referred to as being attached or enclosed, is being deposited with the United States Postal Service on the date shown below with sufficient postage as first-class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Date:

March 29, 2002

Aisha Wyatt

ATL1 #516641 v1